

borg &
overström



Aquaphin®

Distinctive
by design.

b6

borg&
overström



Countertop water dispensing reimaged

B6 is all new. From the ground up. From its sleeker aesthetics to future-proof digital connectivity, and increased performance, hygiene and sustainability benefits - B6 is the most advanced countertop water dispenser to date. Borg & Overström have redefined countertop water dispensing.

Distinctive
by design.

Beauty in simplicity

Minimalistic, understated and thoughtfully considered, B6 stays true to Borg & Overström's founding principles of applying striking aesthetics to inspire your every day. The pared-back, premium look of the seamless casing creates a calming contrast to the complex technology that lies within.

Sustainability at the heart

B6 is built in the UK using proprietary sub-assemblies from nearshore suppliers, reducing the supply-chain carbon footprint. Recyclable components combined with solar-powered manufacturing processes make B6 a highly sustainable choice.

Four-way versatility

B6 delivers instant purified chilled, ambient, sparkling, and hot water - creating more beverage possibilities for your people while delivering a high-capacity performance to match.

Next-generation modularity

B6 bears the iconic hallmark of all next-generation Borg & Overström dispensers - Maktens Borg. Its universally compatible parts increase maintenance efficiency for distributors and demonstrate a commitment to outstanding reliability for all users.

Intelligent energy-efficiency

B6 is consistently energy efficient, making it both economical and eco-friendly. Not only does it use energy-saving Dry Chill® - Borg & Overström's high-performance cooling technology - it's also fitted with an intelligent sensor which sends the appliance into standby mode when light levels are low, or after a period of inactivity.

Digital connectivity

B6 meets the needs of the modern workplace with industry-leading digital connectivity. It is IoT-ready and comes with touchless Bluetooth® operation as standard. An intelligent troubleshooting module emits blinking code to support users with effective maintenance.

Hygiene-assured sanity

B6 is protected by Biomaster®. Antimicrobial technology inherent to the front panel, dispense area and the touch-sensitive console provides long-lasting protection against the growth of microbes, including bacteria and mould, reducing the potential for cross-contamination.

Advanced water purity

B6 is available with the latest Viovand® LED-UV. Mercury-free, chemical-free, and energy-efficient - LED-UV water purification complements Borg & Overström's already comprehensive Totality® methodology for complete peace of mind.



Distinctive
by design.

Sustainable hydration for a healthier planet


borg& overström

Water system




Dry Chill®

Configuration



Countertop



Floorstanding

Water options



Chilled



Ambient



Hot



Sparkling

Available finishes



Silver



Black



Silver - Countertop



Silver - Floorstanding



Black - Countertop



Black - Floorstanding

Distinctive
by design.

Additions for B6



Biodegradable paper cups
Environmentally-friendly disposable cups designed to fit Borg & Overström cup dispensers perfectly.



Personal drinking bottles
500ml capacity in black. Comes with quick-release leak-proof cap and carry strap.



500ml glass bottles
Suitable for dishwashers and bottlewashers. A perfect fit for the B6. Stylish swing-top lid.



Deep Sparkle® CO² refills
Can be disposed via standard steel recycling or general waste. Requires CO² regulator with gauge.



Alarmed Bluetooth® waste kit
This optional clever device emits an audible alarm at high water level and deactivates the control panel via Bluetooth.



Install kit with 3M filter
Install appliances simply and effectively in a wide range of applications. Complete with a 3M filter.



Sanitisation kit
Six monthly sanitising cycles ensure appliances function at the optimum hygiene levels.



Distinctive
by design.

Totality® - Hygiene-assured refreshment



Totality® is our assurance that water dispensed from a Borg & Overström water dispenser is as safe as it is refreshing. Water dispensers with a six-star Totality® rating deliver an exceptionally high standard of hygiene.



Digital precision
The discreet digital touch panel has an antimicrobial coating for a reassuringly clean experience. Chilled, sparkling, or ambient water can also be dispensed touch-free via the Bluetooth® app.



Advanced UV-led protection.
As an option, the B6 can be fitted with Viovandt®, a mercury-free, chemical-free and energy-efficient LED-UV water purification system. For complete peace of mind, it also includes additional hygiene features via Borg & Overström's Totality® methodology.



Sealed drinking water system.
Dry Chill® is the most hygienic cooling process. No water is stored within the system, which greatly reduces the opportunity for bacteria to become established. Dry Chill® also produces a larger volume of lower temperature water due to its faster recovery time.



Independently certified anti-microbial, antipathogen sanitising procedure.
All dispensers are sterilised using Sterizen® sanitising infusion. No other brand of watercooler goes through this process, which is why only Borg & Overström appliances are laboratory certified to be 99.999% bacteria reduced.




High-performing, easy to fit carbon filters.
3M carbon filters provide the highest level of water hygiene security for your dispenser over a longer period of time. All Borg & Overström water dispensers can be fitted with 3M carbon filters.

Distinctive
by design.

borg& overström

B6 Specifications	Dispense options	Max power consumption	Water system	Black	Silver	Black ECO-UV	Silver ECO-UV
Countertop dimensions W320xD400xH415mm	Chilled & Ambient	140W	Dry Chill®	739000	739010	739020	739030
Dispense height 290mm	Chilled, Sparkling & Ambient	200W	Dry Chill®	739120	739130	739140	739150
Power requirements Hertz 50/Volts 230-240	Chilled, Ambient & Hot	1500W	Dry Chill®	739080	739090	739100	739110
Water temperatures Chilled 2°C/Hot 92°C	Chilled, Sparkling, Ambient & Hot	1600W	Dry Chill®	739160	739170	739180	739190
Throughput flow rate 50 (LPH) - Chilled & Sparkling 15 (LPH) - Hot	Floorstanding base cabinet				Black	Silver	
	External dimensions W320xD400xH910mm				720225	720230	

Distinctive
by design.





Buchen Sie eine Vorführung:

**Sprechen Sie mit einem Berater 0172 409 7423
oder besuchen Sie uns:**

**Aquaphin GmbH
Rederscheider Straße 55
53578 Windhagen
Telefon: 02645 972 9080**

Fragen Sie auch nach unserer Feinfilterung für Wasserspender!

**Diese Technik ist fast einmalig am Markt und liefert Ihnen perfektes äußerst
naturnahes Trinkwasser.**

www.aquaphin.de