

borg &  
overström

Aquaphin<sup>®</sup>



Distinctive  
by design.

t3

borg&  
overström

## Designing a hot tap revolution

T3 is our first-ever hot tap for all seasons. We've pushed the boundaries of design to build a four-way tap system that in no way sacrifices water quality, performance, energy efficiency, or aesthetics. The newest addition has been built from the ground up with premium aesthetics and our most advanced dispensing innovations.

[borgandoverstrom.com](http://borgandoverstrom.com)

Distinctive  
by design.

t3



### Cool touch

We've solved one of the biggest challenges of hot water dispensing, temperature control. T3 dispenses hot water at 92 degrees and then chilled or sparkling water from the same tap without heat transfer to chilled water feeds or the faucet.

### Single undercounter ProCore®

Beneath the counter is a single, convenient unit housing hot, cold, ambient and sparkling components. It's low maintenance and fitted with the new eco R290 gas. The colour-coated GreenCoat® steel construction makes it sustainable and durable.

### Advanced ECO-UV protection

As an option, T3 can be fitted with Viovandl®, a mercury-free, chemical-free and energy-efficient LED-UV water purification system. For complete peace of mind, it also includes additional hygiene features via Borg & Overström's Totality® methodology.

### Sustainability at the heart

T3 is built in the UK using proprietary sub-assemblies from nearshore suppliers, reducing the supply-chain carbon footprint. Recyclable components combined with solar-powered manufacturing processes make T3 a highly sustainable choice.

### Energy-saving ECO mode

T3 is consistently energy efficient, making it both economical and eco-friendly. In addition to our high-performance cooling technology, Dry Chill®, T3 has an intelligent sensor which sends the appliance into standby mode during low light or after a period of inactivity.

### Easy-fit ventilation kit

T3 ProCore® fits into the same cutouts as a T2 ProCore® allowing for easy transition from one to the other with no adaptation. The ProCore® comes complete with an easy-fit ventilation kit, which increases the efficiency of ProCore® by allowing a continuous cycle of cool air.


### Future-proof digital connectivity

T3 meets the needs of the modern workplace with industry-leading digital connectivity. It's IoT-ready and comes with touchless Bluetooth® operation as standard. An intelligent troubleshooting module emits blinking code to support users with effective maintenance.

### Revolutionary modularity

T3 bears the iconic hallmark of all next-generation Borg & Overström dispensers – Maktens Borg. The universally compatible parts increase maintenance efficiency for distributors and demonstrate a commitment to outstanding reliability for all users.

Distinctive  
by design.




t3

Water system



Dry Chill®

Configurations



Integrated Tap

Water options



Chilled



Sparkling



Ambient



Hot

Tap finishes



Steel



Black

Uncompromising,  
original design

Distinctive  
by design.



## Totality® - Hygiene-assured refreshment



Totality® is our assurance that water dispensed from a Borg & Overström water dispenser is as safe as it is refreshing. Water dispensers can be specified with up to six Totality® components ensuring an exceptionally high standard of hygiene. For more information visit: [borgandoverstrom.com/hygiene](http://borgandoverstrom.com/hygiene)




**Digital precision**  
The discreet digital touch panel has an antimicrobial coating for a reassuringly clean experience. Chilled, sparkling, or ambient water can also be dispensed touch-free via the Bluetooth® app.



**Advanced UV-led protection.**  
As an option, the T3 can be fitted with Viovandt™, a mercury-free, chemical-free and energy-efficient LED-UV water purification system. For complete peace of mind, it also includes additional hygiene features via Borg & Overström's Totality® methodology.



**Sealed drinking water system.**  
Dry Chill® is the most hygienic cooling process. No water is stored within the system, which greatly reduces the opportunity for bacteria to become established. Dry Chill® also produces a larger volume of lower temperature water due to its faster recovery time.



**Independently certified anti-microbial, antipathogen sanitising procedure.**  
All dispensers are sterilised using Sterizen® sanitising infusion. No other brand of watercooler goes through this process, which is why only Borg & Overström appliances are laboratory certified to be 99.999% bacteria reduced.




**High-performing, easy to fit carbon filters.**  
3M carbon filters provide the highest level of water hygiene security for your dispenser over a longer period of time. All Borg & Overström water dispensers can be fitted with 3M carbon filters.

Distinctive  
by design.

T3 Specifications	T3 ProCore	Dispense options	Max power consumption	Black	Steel	Black ECO-UV	Steel ECO-UV
<b>Power requirements</b> Hertz 50/Volts 230-240	<b>Throughput flow rate</b> Chilled & Sparkling 50 LPH / 60 BPH Hot 16 LPH / 90 CPH	Chilled, Ambient & Hot	1670W	743160	743170	743180	743190
<b>Water system</b> Dry Chill®		Chilled, Sparkling, Ambient & Hot	1670W	743240	743250	743260	743270
<b>Water temperatures</b> Chilled 2°C/Hot 92°C	<b>T3 ProCore+</b>	Chilled, Ambient & Hot	Max power consumption	Black	Steel	Black ECO-UV	Steel ECO-UV
<b>Tap height</b> 338mm							
<b>Dispense height</b> 310mm	<b>ProCore dimensions including Simple-fit Ventilation Base</b> W320xD471xH400mm (Includes 20mm overhang)	Chilled, Ambient & Hot	1710W	743480	743490	743500	743510
		Chilled, Sparkling, Ambient & Hot	1710W	743560	743570	743580	743590

LPH = Litres per hour  
BPH = Bottles per hour  
CPH = Cups per hour

Distinctive  
by design.



## Additions for T3



**Biodegradable paper cups**  
Environmentally-friendly disposable cups designed to fit Borg & Overström cup dispensers perfectly.



**Personal drinking bottles**  
500ml capacity in black. Comes with quick-release leak-proof cap and carry strap.



**500ml glass bottles**  
Suitable for dishwashers and bottlewashers. A perfect fit for the T3. Stylish swing-top lid.



**Deep Sparkle® CO<sup>2</sup> refills**  
Can be disposed via standard steel recycling or general waste. Requires CO<sup>2</sup> regulator with gauge.



**Sanitisation kit**  
Six monthly sanitising cycles ensure appliances function at the optimum hygiene levels.



**Alarmed Bluetooth® waste kit**  
This optional clever device emits an audible alarm at high water level and deactivates the control panel via Bluetooth.



**Install kit with 3M filter**  
Install appliances simply and effectively in a wide range of applications. Complete with a 3M filter.

Distinctive  
by design.



**Buchen Sie eine Vorführung:  
Sprechen Sie mit einem Berater 0172 409 7423  
oder besuchen Sie uns:**

**Aquaphin GmbH  
Rederscheider Straße 55  
53578 Windhagen  
Telefon: 02645 972 9080**

**Fragen Sie auch nach unserer Feinfilterung für Wasserspender!**

**Diese Technik ist fast einmalig am Markt und liefert Ihnen  
perfektes äußerst naturnahes Trinkwasser.**

**[www.aquaphin.de](http://www.aquaphin.de)**